



## Technical Datasheet

# Drains and gratings PVC siphon for renovation - Minimax 40/50

WETROOMS

## DESCRIPTION

PVC floor drain with horizontal outlet. Outflow capacity of 0.8 liters/second.



### Key features:

- Ensuring a perfect watertight seal between the coved floorcovering and the wallcovering.
- Providing a smooth surface with a perfect visual finish.
- Hygienic and easy maintenance.

### Compatible floorings:

- Wetroom floorings.

### Main segments of application:



## TECHNICAL INFORMATION

### Product

Size (mm)	<b>Minimax 40</b>	70 height
	<b>Minimax 50</b>	70 height
	<b>Minimax 40</b>	40 lower x 197 upper outside
Unit weight (g)	<b>Minimax 50</b>	50 lower x 197 upper outside
	<b>Minimax 40</b>	0.80
	<b>Minimax 50</b>	0.80
	<b>Minimax 40</b>	270
	<b>Minimax 50</b>	350


### Packaging

Pieces per box	<b>Minimax 40 &amp; 50</b>	20
Box size (m)	<b>Minimax 40</b>	0.60 x 0.40 x 0.38
	<b>Minimax 50</b>	0.60 x 0.40 x 0.38
Box weight (kg)	<b>Minimax 40</b>	5.4
	<b>Minimax 50</b>	7.2
Box per pallet	<b>Minimax 40</b>	10
	<b>Minimax 50</b>	8
Pallet size (m)	<b>Minimax 40 &amp; 50</b>	1.2 x 0.8 x 1.4
Pallet weight (kg)	<b>Minimax 40</b>	27.4
	<b>Minimax 50</b>	29.2
Min. order	<b>Minimax 40 &amp; 50</b>	1 unit

## INSTALLATION

- Grating + screws incorporated.
- Should be installed by a plumber, and in accordance with local regulations and the technical specifications provided by Tarkett and the manufacturer.
- For additional details, please refer to Wetroom Concept Documentation.

## ARTICLE CODE

	SAP Code	EAN Code
	White RAL: 9003 NCS: S 0500 N	
	<b>Minimax 40</b> 1416 010	3423128434026
	<b>Minimax 50</b> 1416 006	7394000205101

## CLEANING & MAINTENANCE

Please refer to Wetroom Concept Documentation.





## Technical Datasheet

# Drains and gratings PVC gratings for PVC siphon round shape

WETROOMS

## DESCRIPTION

PVC gratings for PVC siphon round shape. Adapted to various conditions of use (outlet, height, diameter, and outflow). 4 patterns: Standard, Hole for pipe, Drop and Art Deco.

### Key features:

- Available as spare part.
- Offering more decorative options.
- Hole for pipe making possible to drive a pipe inside
- Easy to clean and maintain.
- Not included in the standard siphon set, to be ordered separately.

### Compatible floorings:

- Minimax (low top 130mm).
- Brage, Oden, Freja, Duschbrunn (150mm).

### Main segments of application:



Standard 150mm



Art Deco 130mm



Drop 150mm



Hole for pipe 130mm



Hole for pipe 150mm

## TECHNICAL INFORMATION

### Product

Diameter (mm)	130
	150
Unit weight (g)	130
	150
	10
	10

### Packaging

Pieces per box	130 & 150	Bulk dispatched
Box size (m)	130	0.02 x 0.127 x 0.127
	150	0.042 x 0.15 x 0.15
Box weight (kg)	130 & 150	Bulk dispatched
Pallet size (m)	130 & 150	1.2 x 0.8 x 1.4
Pallet weight (kg)		150
Min. order		1 unit

## INSTALLATION

- To be fitted loose on top of the platform.

## CLEANING & MAINTENANCE

Please refer to Wetroom Concept Documentation.

## ARTICLE CODE



White  
RAL: 9003  
NCS: S 0500 N

Diameter (mm)	SAP Code	EAN Code
<b>Standard</b>		
130	-	-
150	1417 001	3423128279320
<b>Drop</b>		
130	-	-
150	26657001	3423128426502
<b>Art Deco</b>		
130	26658001	3423128426519
150	-	-
<b>Hole for pipe</b>		
130	26659001	3423128426496
150	26660001	3423128426489



## Technical Datasheet

# Drains and gratings Siphon brage 50 - Vertical

WETROOMS

## DESCRIPTION

Low profile (240mm) PVC floor drain with vertical outlet. High capacity with 0.8 liters/second outflow.


### Key features:

- Designed for ease and practicality, the clamping ring adjusts automatically, the plastic grating simply snaps into place, and the water trap can be removed.
- Easy to clean and maintain.
- Full set contains: drain, grating, clamping ring and water trap.

### Compatible floorings:

- Wetroom floorings.

### Main segments of application:



## TECHNICAL INFORMATION

### Product

Size (mm)	240 height
Diameter (mm)	50 lower x 150 upper inner x 220 upper outer
Outflow (L/sec)	0.8
Unit weight (g)	870

### Packaging

Pieces per box	10
Box size (m)	0.60 x 0.40 x 0.38
Box weight (kg)	8.9
Box per pallet	10
Pallet size (mm)	1.2 x 0.8 x 1.4
Pallet weight (kg)	30.9
Min. order	1 unit

## INSTALLATION

- Should be installed by a plumber, and in accordance with local regulations and the technical specifications provided by Tarkett and the manufacturer.
- For additional details, please refer to Wetroom Concept Documentation.

## CLEANING & MAINTENANCE

Please refer to Wetroom Concept Documentation.

## ARTICLE CODE

	SAP Code	EAN Code
 White RAL: 9003 NCS: S 0500 N	1416 004	3423128279337



## Technical Datasheet

# Drains and gratings Siphon brage 75 - Vertical

WETROOMS

## DESCRIPTION

Low profile (320mm) PVC floor drain with vertical outlet. High capacity with 0.8 liters/second outflow.


### Key features:

- Designed for ease and practicality, the clamping ring adjusts automatically, the plastic grating simply snaps into place, and the water trap can be removed.
- Easy to clean and maintain.
- Full set contains: drain, grating, clamping ring and water trap.

### Compatible floorings:

- Wetroom floorings.

### Main segments of application:



## TECHNICAL INFORMATION

### Product

Size (mm)	320 height
Diameter (mm)	75 lower x 150 upper inner x 220 upper outer
Outflow (L/sec)	0.8
Unit weight (g)	830

### Packaging

Pieces per box	10
Box size (m)	0.27 x 0.37 x 0.22
Box weight (kg)	8.5
Box per pallet	10
Pallet size (mm)	1.2 x 0.8 x 1.4
Pallet weight (kg)	30.8
Min. order	1 unit


## INSTALLATION

- Should be installed by a plumber, and in accordance with local regulations and the technical specifications provided by Tarkett and the manufacturer.
- For additional details, please refer to Wetroom Concept Documentation.

## CLEANING & MAINTENANCE

Please refer to Wetroom Concept Documentation.

## ARTICLE CODE

	SAP Code	EAN Code
 White RAL: 9003 NCS: S 0500 N	1416 005	3423128279351



## Technical Datasheet

# Drains and gratings Siphon Dusch Brunn - Vertical

WETROOMS

### DESCRIPTION

Low profile (97mm) PVC floor drain with vertical outlet. Outflow capacity of 0.8 liters/second.


#### Key features:

- Designed for ease and practicality, the clamping ring adjusts automatically, the plastic grating simply snaps into place, and the water trap can be removed.
- Easy to clean and maintain.

#### Compatible floorings:

- Wetroom floorings.

#### Main segments of application:



mm

### TECHNICAL INFORMATION

#### Product

Size (mm)	97 height
Diameter (mm)	50 lower x 150 upper inner x 220 upper outer
Outflow (L/sec)	0.8
Unit weight (g)	500

#### Packaging

Pieces per box	10
Box size (m)	0.22 x 0.22 x 0.102
Box weight (kg)	10.2
Box per pallet	10
Pallet size (mm)	1.2 x 0.8 x 1.4
Pallet weight (kg)	30.2
Min. order	1 unit


### INSTALLATION

- Should be installed by a plumber, and in accordance with local regulations and the technical specifications provided by Tarkett and the manufacturer.
- For additional details, please refer to Wetroom Concept Documentation.

### CLEANING & MAINTENANCE

Please refer to Wetroom Concept Documentation.

### ARTICLE CODE

	SAP Code	EAN Code
 White RAL: 9003 NCS: S 0500 N	1416001	7394000202001



## Technical Datasheet

# Drains and gratings Siphon Freja 50 - Horizontal

WETROOMS

## DESCRIPTION

Low profile (102mm) PVC floor drain with horizontal outlet. Outflow capacity of 0.8 liters/second.


### Key features:

- Designed for ease and practicality, the clamping ring adjusts automatically, the plastic grating simply snaps into place, and the water trap can be removed.
- Easy to clean and maintain.

### Compatible floorings:

- Heterogeneous and homogeneous vinyls in rolls.
- Wetroom floorings.

### Main segments of application:



## TECHNICAL INFORMATION

### Product

Size (mm)	102 height
Diameter (mm)	50 lower x 220 upper
Outflow (L/sec)	0.8
Unit weight (g)	680

### Packaging

Pieces per box	16
Box size (m)	0.60 x 0.39 x 0.36
Box weight (kg)	11.8
Box per pallet	10
Pallet size (mm)	1.2 x 0.8 x 1.4
Pallet weight (kg)	33.08
Min. order	1 unit


## INSTALLATION

- Should be installed by a plumber, and in accordance with local regulations and the technical specifications provided by Tarkett and the manufacturer.
- For additional details, please refer to Wetroom Concept Documentation.

## CLEANING & MAINTENANCE

Please refer to Wetroom Concept Documentation.

## ARTICLE CODE

		SAP Code	EAN Code
	White RAL: 9003 NCS: S 0500 N	1416 002	7393799030512



## Technical Datasheet

# Drains and gratings Siphon Oden 75 - Horizontal

WETROOMS

## DESCRIPTION

Low profile (112mm) PVC floor drain with horizontal outlet. High capacity with 0.8 liters/second outflow.


### Key features:

- Designed for ease and practicality, the clamping ring adjusts automatically, the plastic grating simply snaps into place, and the water trap can be removed.
- Easy to clean and maintain.
- Full set contains: siphon, water trap, plastic grating & automatic clamping ring.

### Compatible floorings:

- Wetroom floorings.

### Main segments of application:



## TECHNICAL INFORMATION

### Product

Size (mm)	112 height
Diameter (mm)	0.75 lower x 0.152 upper inner x 0.22 upper outer
Outflow (L/sec)	0.8
Unit weight (g)	660

### Packaging

Pieces per box	15
Box size (m)	0.118 x 0.22 x 0.25
Box weight (kg)	10.1
Box per pallet	10
Pallet size (mm)	1.2 x 0.8 x 1.4
Pallet weight (kg)	32.1
Min. order	1 unit

## INSTALLATION

- Should be installed by a plumber, and in accordance with local regulations and the technical specifications provided by Tarkett and the manufacturer.
- For additional details, please refer to Wetroom Concept Documentation.

## CLEANING & MAINTENANCE

Please refer to Wetroom Concept Documentation.

## ARTICLE CODE

	SAP Code	EAN Code
<div style="border: 1px solid black; width: 30px; height: 20px; display: flex; align-items: center; justify-content: center;"> <div style="width: 10px; height: 10px; background-color: white;"></div> </div> White RAL: 9003 NCS: S 0500 N	1416 003	3423128270426



## Technical Datasheet

# Drains and gratings

## Safe drains

### WETROOMS

#### DESCRIPTION

Flood Protection adapted for accidental outflow of hot and cold water.


##### Key features:

- Used for cleaning purposes.
- Intended for use where there is a risk of leakage and where there is no floor gully (e.g. In bathrooms lacking floor gullies, under sinks of any kind, hotel cleaning rooms, saunas & SPAs).
- The overflow waste outlet have a removable mechanical odor trap which normally is tight but will let the water through in case of an unintentional leakage.
- Clamping ring and odour trap integrated.

##### Compatible floorings:

- Wetroom floorings.

##### Main segments of application:



mm

#### TECHNICAL INFORMATION


##### Product

Size (mm)	150 x 150 x 97
Diameter (mm)	150
Outflow (L/sec)	0.4
Unit weight (kg)	0.158

##### Packaging

Pieces per box	1
Box size (mm)	380 x 285 x 190
Min. order	1 unit

#### ARTICLE CODE

	SAP Code	EAN Code
	White RAL: 9003 NCS: S 0500 N	
	<b>Safe</b> 1416014	3423128588958
	<b>Safe knife</b> 1417023	3423128588965

#### INSTALLATION

- Should be installed by a plumber, and in accordance with local regulations and the technical specifications provided by Tarkett and the manufacturer.
- For additional details, please refer to Wetroom Concept Documentation.

#### CLEANING & MAINTENANCE

Please refer to Wetroom Concept Documentation.





## Technical Datasheet

# Drains and gratings Stainless steel siphon (Inox 40) - Vertical

WETROOMS

## DESCRIPTION

Low profile (70mm) stainless steel floor drain with vertical outlet. Outflow capacity of 0.66 liter/second.

### Key features:

- Ideal for industrial kitchens thanks to acid and alkali resistance.
- Designed for ease and practicality, the clamping ring adjusts the vinyl flooring into the drain, the grating is screwed and cannot be removed.
- Used in prisons and psychiatric hospitals with unbreakable pieces.
- Flap inside collecting residues, avoiding unpleasant odors.
- Full set contains: 1 drain + 3 screws for the clamping ring + 1 screw to lock the grating.

### Compatible floorings:

- Wetroom floorings.

### Main segments of application:



## TECHNICAL INFORMATION

### Product


Size (mm)	70 height
Diameter (mm)	145
Outflow (L/sec)	0.66
Unit weight (g)	580

### Packaging

Pieces per box	1
Box size (m)	0.16 x 0.16 x 0.13
Box weight (kg)	600
Min. order	1 unit

## ARTICLE CODE

	SAP Code	EAN Code
Inox RAL: 7039 NCS:	1416 007	3423128405903



mm

## INSTALLATION

- Grating + screws incorporated.
- Should be installed by a plumber, and in accordance with local regulations and the technical specifications provided by Tarkett and the manufacturer.
- For additional details, please refer to Wetroom Concept Documentation.

## CLEANING & MAINTENANCE

Please refer to Wetroom Concept Documentation.